

Version 1.2	Revision Date: 02/10/2015	MSDS Number 30255-00003	: Date of last issue: 12/02/2014 Date of first issue: 11/14/2014		
SECTION	1. IDENTIFICATION				
Produ	Product name		ear & Mild Foam Handwash		
Manu	facturer or supplier's	details			
Comp	oany name of supplier	: GOJO Indu	stries, Inc.		
Addre	SS	: One GOJO Akron OH 4	Plaza, Suite 500 44311		
Telep	hone	: 1 (330) 255	-6000		
Emer	gency telephone	: 1-800-424-	1-800-424-9300 CHEMTREC		
Reco	mmended use of the c	hemical and res	trictions on use		
Recor	nmended use	: Skin-care	Skin-care		
Restrictions on use		consumers foreseeable specifically exempt from While this r contains va proper use as well as u spills. This employees intended-us	ersonal care or cosmetic product that is safe for and other users under normal and reasonably e use. Cosmetics and consumer products, defined by regulations around the world, are m the requirement of an SDS for the consumer. naterial is not considered hazardous, this SDS luable information critical to the safe handling and of the product for industrial workplace conditions unusual and unintended exposures such as large SDS should be retained and available for and other users of this product. For specific se guidance, please refer to the information in the package or instruction sheet.		

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Eye irritation	: Category 2A
GHS Label element Hazard pictograms	
Signal Word	: Warning
Hazard Statements	: H319 Causes serious eye irritation.
Precautionary Statements	: Prevention: P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection.



ersion 2	Revision Date: 02/10/2015	MSDS Number: 30255-00003	Date of last issue: 12/02/2014 Date of first issue: 11/14/2014
		for several mine to do. Continue	P338 IF IN EYES: Rinse cautiously with water utes. Remove contact lenses, if present and easy prinsing. eye irritation persists: Get medical advice/
Othe	r hazards		
None	known.		

Substance / Mixture : Mixture

Hazardous ingredients

	CAS-No.	Concentration (%)
Alcohols, C10-16, ethoxylated, sulfates, sodium	68585-34-2	>= 1 - < 5
salts		
Cocoamidopropyl betaine	61789-40-0	>= 1 - < 5
Glycerine	56-81-5	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	 If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.
Protection of first-aiders	 First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
Notes to physician	: Treat symptomatically and supportively.



				Date of last issue: 12/02/2014 Date of first issue: 11/14/2014
--	--	--	--	---

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	: Sulfur oxides Carbon oxides Metal oxides Nitrogen oxides (NOx)
Specific extinguishing methods	 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to d so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.	
Environmental precautions	 Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oi barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. 	I
Methods and materials for containment and cleaning up	 Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to 	I



Version 1.2	Revision Date: 02/10/2015	MSDS Number: 30255-00003	Date of last issue: 12/02/2014 Date of first issue: 11/14/2014		
		Sections 13	nich regulations are applicable. and 15 of this SDS provide information regarding or national requirements.		
SECTION	I 7. HANDLING AND ST	ORAGE			
Tech	Technical measures		: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.		
Loca	ll/Total ventilation	: Use only with	: Use only with adequate ventilation.		
Advi	ce on safe handling	Do not swall Do not get in Avoid prolon Handle in ac practice.	eyes. ged or repeated contact with skin. cordance with good industrial hygiene and safety prevent spills, waste and minimize release to the		
Cond	ditions for safe storage		erly labeled containers. Indance with the particular national regulations.		
Mate	erials to avoid		: Do not store with the following product types: Strong oxidizing agents		

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Glycerine	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1

Hazardous components without workplace control parameters

Ingredients	CAS-No.
Alcohols, C10-16, ethoxylated,	68585-34-2
sulfates, sodium salts	
Cocoamidopropyl betaine	61789-40-0

Engineering measures

: Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection

: General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where



Version 1.2	Revision Date: 02/10/2015		SDS Number: 255-00003	Date of last issue: 12/02/2014 Date of first issue: 11/14/2014	
			unknown, approp Follow OSHA res use NIOSH/MSH, by air purifying re hazardous chemi supplied respirato release, exposure	e above recommended limits or are riate respiratory protection should be worn. pirator regulations (29 CFR 1910.134) and A approved respirators. Protection provided spirators against exposure to any cal is limited. Use a positive pressure air or if there is any potential for uncontrolled e levels are unknown, or any other ere air purifying respirators may not provide fon.	
	l protection aterial	:	Impervious gloves	3	
Re	Remarks		Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.		
Еуе р	protection	:	: Wear the following personal protective equipment: Safety goggles		
resistance data and an potential.		e protective clothing based on chemical nd an assessment of the local exposure t be avoided by using impervious protective aprons, boots, etc).			
Hygiene measures		:	located close to t When using do no	ushing systems and safety showers are he working place. ot eat, drink or smoke. ed clothing before re-use.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: clear, Colorless to pale yellow
Odor	: soapy
Odor Threshold	: No data available
рН	: 4.7 - 6.2
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available



Vers 1.2	sion	Revision Date: 02/10/2015		DS Number: 255-00003	Date of last issue: 12/02/2014 Date of first issue: 11/14/2014
	Flash p	oint	:	100 °C	
	Evapor	ation rate	:	No data available	
	Flamm	ability (solid, gas)	:	Not applicable	
	Upper e	explosion limit	:	No data available	
	Lower	explosion limit	:	No data available	
	Vapor p	pressure	:	No data available	
	Relative	e vapor density	:	No data available	
	Density	1	:	1.00 g/cm3	
	Solubili Wate	ty(ies) er solubility	:	soluble	
	Partitio octanol	n coefficient: n- /water	:	Not applicable	
	Autoigr	nition temperature	:	No data available	
	Decom	position temperature	:	The substance or	mixture is not classified self-reactive.
	Viscosi Visco	ty osity, kinematic	:	10 - 20 mm2/s (2	0 °C)
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance or	mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac- tions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure



ersion 2	Revision Date: 02/10/2015	MSDS Number: 30255-00003	Date of last issue: 12/02/2014 Date of first issue: 11/14/2014
Ingest	contact		
Acute	e toxicity		
Not cl	assified based on ava	ilable information.	
Ingre	dients:		
	ools, C10-16, ethoxyl oral toxicity	ated, sulfates, sodium : LD50 (Rat): > 2 Assessment: TI toxicity	
	amidopropyl betaine oral toxicity	: LD50: > 5,000 r Method: OECD	ng/kg Test Guideline 401 d on data from similar materials
Acute	dermal toxicity	Assessment: TI toxicity	,000 mg/kg Test Guideline 402 ne substance or mixture has no acute dermal d on data from similar materials
Glyce Acute	erine: oral toxicity	: LD50 (Rat): > 5	,000 mg/kg
-	corrosion/irritation assified based on ava	ilable information.	
<u>Produ</u> Resul	uct: t: No skin irritation		
Alcoh	dients: nols, C10-16, ethoxyl t: Skin irritation	ated, sulfates, sodium	salts:
Glyce Resul	e rine: t: No skin irritation		
	us eye damage/eye es serious eye irritatio		
<u>Produ</u> Resul		versing within 21 days	
Alcoh	dients: nols, C10-16, ethoxyl t: Irreversible effects o	ated, sulfates, sodium	salts:
	amidopropyl betaine es: Rabbit	:	



GOJO® Clear & Mild Foam Handwash

ersion 2	Revision Date: 02/10/2015		DS Number: 255-00003	Date of last issue: 12/02/2014 Date of first issue: 11/14/2014
Meth	lt: Irreversible effects c od: OECD Test Guide arks: Based on data fro	line 40	5	
	erine: It: No eye irritation			
Resp	biratory or skin sensit	izatior	1	
Skin	sensitization: Not class iratory sensitization: N	sified b	ased on availat	
Prod	uct:			
Asse	ssment: Does not caus	e skin	sensitization.	
Cocc Test Route Spec Resu Resu	edients: pamidopropyl betaine Type: Maximization Te es of exposure: Skin co ies: Guinea pig It: negative arks: Based on data fro n cell mutagenicity	st (GP ontact om simi	lar materials	
Not c	lassified based on avai	ilable ir	nformation.	
	edients:			
	pamidopropyl betaine otoxicity in vitro		Method: OECE Result: negativ	eterial reverse mutation assay (AMES) D Test Guideline 471 e ed on data from similar materials
Geno	otoxicity in vivo	:	cytogenetic ass Species: Mous Application Ron Result: negativ	e ute: Ingestion
	erine: otoxicity in vitro	:		tro mammalian cell gene mutation test Test Guideline 476 e
	inogenicity lassified based on avai	ilahle ir	oformation	
<u>Ingre</u> Glyc Spec	edients: erine: ies: Rat cation Route: Ingestior		normation.	

S Application Route: Ingestion Exposure time: 2 Years Result: negative



sion	Revision Date: 02/10/2015	MSDS Number: 30255-00003	Date of last issue: 12/02/2014 Date of first issue: 11/14/2014
IARC			his product present at levels greater than or lentified as probable, possible or confirmed h by IARC.
OSHA	A		nis product present at levels greater than or lentified as a carcinogen or potential carcino-
NTP			nis product present at levels greater than or lentified as a known or anticipated carcinoger
Repro	oductive toxicity		
Not cla	assified based on availa	ble information.	
Ingrea	dients:		
	amidopropyl betaine: s on fetal development	Species: Rat Application Ro	oryo-fetal development ute: Ingestion) Test Guideline 414
		Result: negativ Remarks: Base	e ed on data from similar materials
Glyce Effects	rine: s on fertility	: Test Type: Two Species: Rat Application Rou Result: negativ	
Effects	s on fetal development	: Test Type: Emb Species: Rabbi Application Rou Result: negativ	ute: Ingestion
	-single exposure assified based on availa	hle information	
		ble mormation.	
	-repeated exposure		
	assified based on availa	ble mormation.	
кереа	ated dose toxicity		
	<u>dients:</u>		
Specie NOAE Applic	amidopropyl betaine: es: Rat :L: 250 mg/kg ation Route: Ingestion sure time: 90 d		
Metho	d: OECD Test Guideline rks: Based on data from		
Glyce	rine:		
		9 / 13	



/ersion .2	Revision Date: 02/10/2015	MSDS Numbe 30255-00003	er: Date of last issue: 12/02/2014 Date of first issue: 11/14/2014	
NOAE LOAE Applic Expos	es: Rat L: 167 mg/m3 L: 660 mg/m3 ation Route: inhalation (ure time: 13 w coms: Local irritation	dust/mist/fume)	
-	ation toxicity			
Not cla	assified based on availa	ble information.		
ECTION 1	12. ECOLOGICAL INFO	RMATION		
Ecoto	xicity			
Сосоа	lients: amidopropyl betaine: ty to fish	Method: I	- 10 mg/l time: 96 h SO 7346/2 Based on data from similar materials	
Toxici	ty to bacteria		00 mg/l DECD Test Guideline 209 Based on data from similar materials	
Glyce Toxici	rine: ty to fish		corhynchus mykiss (rainbow trout)): 54,000 mg/l time: 96 h	
	ty to daphnia and other c invertebrates	: EC50 (Daphnia magna (Water flea)): 1,955 mg/l Exposure time: 48 h		
Toxici	ty to bacteria	: NOEC (Pseudomonas putida): > 10,000 mg/l Exposure time: 16 h		
Persis	stence and degradabil	ity		
<u>Produ</u> Biode	i <mark>ct:</mark> gradability	: Result: Bi	odegradable	
Alcoh	<mark>lients:</mark> ols, C10-16, ethoxylate gradability		odium salts: eadily biodegradable.	
	amidopropyl betaine: gradability	Biodegrad Exposure Method: 0	eadily biodegradable. dation: > 60 % time: 28 d DECD Test Guideline 301 Based on data from similar materials	



Version 1.2	Revision Date: 02/10/2015	MSDS Number: 30255-00003	Date of last issue: 12/02/2014 Date of first issue: 11/14/2014
Bic	odegradability	: Result: Readily bi Biodegradation: 9 Exposure time: 1	94 %
Bio	oaccumulative potential		
Inc	gredients:		
Pa	ycerine: Irtition coefficient: n- tanol/water	: log Pow: -1.76	
Мо	obility in soil		
No	data available		
Ot	her adverse effects		
No	odata available		
SECTIO	ON 13. DISPOSAL CONSIE	DERATIONS	
Dis	sposal methods		
Wa	aste from residues	: Dispose of in acco	ordance with local regulations.

Contaminated packaging	 Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.
	handling one for recycling of dispectation

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity



rsion	Revision Date: 02/10/2015	MSDS Number: 30255-00003	Date of last issue: 12/02/2 Date of first issue: 11/14/	
This r	material does not conta	in any components wit	h a CERCLA RQ.	
SAR	A 304 Extremely Haza	rdous Substances Re	eportable Quantity	
This r	material does not conta	in any components wit	h a section 304 EHS RQ.	
SAR	A 311/312 Hazards	: Acute Health H	azard	
SAR	A 302		n this material are subject to t f SARA Title III, Section 302	
SAR	A 313	known CAS nu	bes not contain any chemica mbers that exceed the thres s established by SARA Title I	hold (De Minimi
US S	tate Regulations			
Penn	sylvania Right To Kn	ow		
	Water		7732-18-5	90 - 100 %
	Glycerine		56-81-5	1 - 5 %
New	Jersey Right To Knov	v		
	Water		7732-18-5	90 - 100 %
	Alcohols, C sodium sal	C10-16, ethoxylated, su Its	lfates, 68585-34-2	1 - 5 %
		opropyl betaine	61789-40-0	1 - 5 %
	Glycerine		56-81-5	1 - 5 %
Califo	ornia Prop 65		bes not contain any chemicals nia to cause cancer, birth, or efects.	
The i	naredients of this pro	oduct are reported in t	the following inventories:	
A100	•		•	


AICS

: All ingredients listed or exempt.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)





Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Revision Date : 02/10/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8