



Section 1 - Identification

Product Identifier ZOOOOM™ All-Green Speed Stripper

Other means of identification 1065

Recommended use Floor stripper.

Recommended restrictions For commercial and industrial use only.

Manufacturer / Importer / Supplier / Distributor Information

Company NameNational Chemical Laboratories of PA, Inc.Address401 N. 10th Street - Philadelphia, PA 19123

 Telephone
 1 (215) 922-1200

 Supplier Email
 info@nclonline.com

 Contact
 CHEM-TEL

 Emergency Phone
 1 (800) 255-3924

Section 2 - Hazard(s) Identification

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

Category Target Organ

1

Physical Hazards Not Classified

Health Hazards Serious eye damage/eye irritation

Skin corrosion/irritation 1B

OSHA defined hazards

Label Elements

Hazard Symbol



Not Classified.

Signal Word Danger

Hazard statement Causes severe skin burns and eye damage.

Precautionary statement

Prevention Do not breathe mist or vapor. Wash hands thoroughly after handling. Wear protective gloves/protective clothing/eye

protection/face protection.

Response If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a poison center/doctor.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

M

None known

Section 3 - Composition/Information on ingredients

∕lixture			
Hazardous Components	nents Ingredient Name	CAS#	%
	Benzyl Alcohol	100-51-6	5 - 10
	Ethylene Glycol Phenyl Ether	122-99-6	5 - 10
	Sodium dimethylbenzenesulfonate	1300-72-7	5 - 10
	2-Amino Ethanol	141-43-5	10 - 20
	Alcohols, C12-13 Ethoxylated	66455-14-9	1 - 5

Composition Comments

Section 4 - First-aid Measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if

symptoms persist.

Skin contactTake off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center

immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Call a physician or poison control center immediately.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low

so that stomach content doesn't get into the lungs.

Most Important symptoms /effects, acute and delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Indication of immediate medical attention and special treatment

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

General Information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Section 5 - Fire-fighting measures

Suitable extinguishing media

Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

None known

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment /instructions

Move containers from fire area if you can do it without risk.

General fire hazards No unusual fire or explosion hazards noted.

Specific Methods Use standard firefighting procedures and consider the hazards of other involved materials.

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures.

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water.

SMALL SPILLS Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

LARGE SPILLS: Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area

with water

 $Never\,return\,spills\,to\,original\,containers\,for\,re-use.\,For\,waste\,disposal,\,see\,section\,13\,of\,the\,SDS.$

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

Section 7 - Handling and storage

Precautions for safe handling

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Section 8 - Exposure control/personal protection

Occupational exposure limits

US. Workplace environmental Exposure Level (WEEL) Guides

Component Type Value
Benzyl Alcohol (CAS 100-51-6) TWA 44.2 mg/m³

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components Type Value Form

2-Amino Ethanol (CAS 141-43-5) PEL 6 mg/m³ , 3 ppm

US. ACGIH Threshold Limit Values

Component Type Value Form

1065

2-Amino Ethanol (CAS 141-43-5) TWA 3 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components Type Value Form

 2-Amino Ethanol (CAS 141-43-5)
 STEL
 15 mg/m³, 6 ppm

 2-Amino Ethanol (CAS 141-43-5)
 REL
 8 mg/m³, 3 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

Appropriate engineering Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to

controls

conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. No personal respiratory protective equipment

normally required.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking,

considerations and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Section 9 - Physical and chemical properties

Appearance Clear, pale yellow liquid.

Physical state Liquid.
Form Thin iquid.
Color Pale yellow.
Odor Mild.

Odor threshold Not available.

pH (Concentrate) 11.2

boiling range

Evaporation rate

Flash point > 212.0 °F (> 100.0 °C)

Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower (%) Not available. Flammability limit - upper (%) Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Similar to water. Vapor density Similar to water. Relative density 1.04 ± 0.01

Relative density temperature 75 °F (23.89 °C)

Solubilities Completely soluble.

Partition Coefficient n-

octanol/water

Not available

Not available.

Auto-ignition temperature

Decomposition temperature

Viscosity

Not Available

Not Available

Viscosity < 10 cP Viscosity Temperature 75 °F (23.89 °C)

Section 10 - Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possiblity of hazardous reactions No dangerous reaction known under conditions of normal use.

Conditions to Avoid Contact with incompatible materials.

Incompatible materials

Strong acids. Strong oxidizing agents.

Hazardous Decomposition

No hazardous decomposition products are known.

Products

Section 11 - Toxicological information

Information on likely routes of exposure

Ingestion Causes digestive tract burns.

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact Causes severe skin burns.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.

Eye contact Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Information on toxicological effects.

Acute toxicity

Components	Level	Type	Code	Species	Results
2-Amino Ethanol (CAS 141-43-5)	Acute	Dermal	LD50	Rabbit	1025 mg/kg
	Acute	Oral	LD50	Rat	1715 mg/kg
Benzyl Alcohol (CAS 100-51-6)	Acute	Dermal	LD50	Rabbit	2000 mg/kg
	Acute	Inhalation	LC100	Rat	200 - 300 mg/l,
	Acute	Inhalation	LC50	Rat	8.8 mg/l, 4 Hou
	Acute	Oral	LD50	Mouse	1150 mg/kg
	Acute	Oral	LD50	Rat	1230 - 3100 mg
	Acute	Other	LD50	Mouse	480 mg/kg
	Acute	Other	LD50	Rat	400 mg/kg
Ethylene Glycol Phenyl Ether (CAS 122-99-6)	Acute	Oral	LD50	Rat	1260 mg/kg
Alcohols, C12-13 Ethoxylated (CAS 66455-14-9)	Acute	Dermal	LD50	Rat	> 2000 mg/kg,
	Acute	Dermal	LD50	Rabbit	3300 mg/kg, 24
	Acute	Inhalation	LC50	Rat	> 100 mg/m³, 6 > 1.6 mg/l, 4 Ho

Skin corrosion/irritation

Respiratory sensitization

Causes severe skin burns and eye damage.

Serious eye damage/ eye

irritation

Causes serious eye damage.

This product is not expected to cause respiratory sensitization.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

This product is not expected to cause reproductive or developmental effects.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Chronic effects

Not classified. May be harmful if absorbed through skin. Prolonged inhalation may be harmful.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.

Further information

Section 12 - Ecological Information

Ecotoxicity The product contains a substance which is toxic to aquatic organisms.				
Components		Species	Test Results	
2-Amino Ethanol, 141-43-5				
Aquatic				
EcoName	EcoCode	EcoSpecies	EcoTestResults	
Algae	EC50	Selenastrum capricornutum (new name Pseudokirchnerella subca	2.5 mg/l, 48 hours	
Crustacea	EC50	Daphnia magna	65 mg/l, 48 hours	
Fish	LC50	Cyprinus carpio	349 mg/l, 96 hours	
Ethylene Glycol Phenyl Ether,	, 122-99-6			
Aquatic				
EcoName	EcoCode	EcoSpecies	EcoTestResults	
Fish	LC50	Flathead Minnow (Pimephales promelas)	337 - 352 mg/l, 96 hours	

Alcohols, C12-13 Ethoxylated, 66455-14-9

Aquatic

EcoName EcoCode EcoSpecies EcoTestResults

CrustaceaEC50Water flea (Daphnia magna)0.39 -0.56 mg/l, 48 hoursFishLC50Flathead minnow (Pimephales promelas)0.72 -2.7 mg/l, 96 hours

Benzyl Alcohol, 100-51-6

Aquatic

 EcoName
 EcoCode
 EcoSpecies
 EcoTestResults

 Fish
 LC50
 Bluegill (Lepomis macrochirus)
 10 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Partition coeficient n-octanol / water log (Kow)

 Components
 Results

 Benzyl Alcohol (CAS 100-51-6)
 1.1

 2-Amino Ethanol (CAS 141-43-5)
 -1.31

 Ethylene Glycol Phenyl Ether (CAS 122-99-6)
 1.16

Mobility in soilNot available.Mobility in generalNo data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine

disruption, global warming potential) are expected from this component.

Section 13 - Disposal considerations

Disposal instructions Dispose in accordance with applicable federal, state, and local regulations.

Local disposal regulations Dispose of in accordance with local regulations.

Hazardous waste codeWaste codes should be assigned by the user based on the application for which the product was used.

Waste from residues / unused

products

Dispose in accordance with all applicable regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Section 14 - Transport information

DOT

UN number UN2491

UN proper shipping name Ethanolamine solution

Transport hazard class(es) 8
Subsidary class(es) Packing group |||

Special precautions for

users

Read safety instructions, SDS and emergency procedures before handling.

Labels required

Special provisions IB3, T4, TP1
Packaging exemption 154
Packaging non bulk 203
Packaging bulk 241

IATA

UN number UN2491

UN proper shipping name Ethanolamine solution

Transport hazard class(es) 8
Subsidary class(es) Packaging group |||

Environmental hazards

Labels required Not available.

ERG Code 81

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN2491

UN proper shipping name ETHANOLAMINE SOLUTION

Transport hazard class(es) 8
Subsidary class(es) Packaging goup III

Environmental hazards

Marine pollutant No.

Labels required Not available.

EmS F-A, S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code

Not established.

General Information

Section 15 - Regulatory Information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D) Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4

Components Result
Ethylene Glycol Phenyl Ether (CAS 122-99-6) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories Immediate Hazard Yes

Delayed Hazard No
Fire Hazard No
Pressure Hazard No
Reactivity Hazard No

SARA 302 Extremely hazardous substance Not listed.
SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting)

Chemical name CAS # % by wt. Ethylene Glycol Phenyl Ether 122-99-6 5 - 10

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HSPs) List

Components

Ethylene Glycol Phenyl Ether (CAS 122-99-6)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.
Food and Drug Administration (FDA) Not regulated.

US state regulations California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to

contain any chemicals currently listed as carcinogens or reproductive toxins.

US.Massachusetts RTK - Substance List Components

2- Amino Ethanol (CAS 141-43-5) Benzyl Alcohol (CAS 100-51-6)

US.New Jersey Worker and Community Right-to-Know Act Components

2-Amino Ethanol (CAS 141-43-5)

Ethylene Glycol Phenyl Ether (CAS 122-99-6)

US.Pennsylvania RTK - Hazardous Substances Components

2-Amino Ethanol (CAS 141-43-5) Benzyl Alcohol (CAS 100-51-6)

Ethylene Glycol Phenyl Ether (CAS 122-99-6)

US.Rhode Island RTK Components

2-Amino Ethanol (CAS 141-43-5)

Ethylene Glycol Phenyl Ether (CAS 122-99-6)

US - California Propsition 65 - Carcinogens Reproductive

Toxicity (CRT): Listed substance Not listed.

International Inventories

On Inventory (yes/no)* Country(s) or region **Inventory Name** Australia Australian Inventory of Chemical Substances (AICS) Yes Canada **Domestic Substances List (DSL)** Yes Non-Domestic Substances List (NDSL) Canada No China Inventory of Existing Chemical Substances in China (IECSC) Yes Europe **European Inventory of Existing Commercial Chemical Substances (EINECS)** No Europe **European List of Notifed Chemical Substances (ELINCS)** No Inventory of Existing and New Chemical Substances (ENCS) Japan No Korea **Existing Chemicals List (ECL)** Yes **New Zealand New Zealand Inventory** Yes

 Philippines
 Philippine Inventory of Chemicals and Chemical Substances
 Yes

 Unites States
 Toxic Substances Control Act (TSCA) Inventory
 Yes

Puerto Rico

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

*A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

Issue date 10/15/2014

Revision date

Version # 01

Further information List of abbreviations

References

Disclaimer

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should

review these regulations to ensure full compliance.